

INFORMATION FROM THE CDC

The Centers for Disease Control is responding to an outbreak of respiratory disease caused by a novel (new) coronavirus that was first detected in China and which has now been detected in more than 100 locations internationally, including in the United States. The virus has been named "SARS-CoV-2" and the disease it causes has been named "coronavirus disease 2019" (abbreviated "COVID-19").

On January 30, 2020, the International Health Regulations Emergency Committee of the World Health Organization (WHO) declared the outbreak a "a public health emergency of international concern". On January 31, Health and Human Services Secretary Alex M. Azar II declared a public health emergency for the United States to aid the nation's healthcare community in responding to COVID-19. On March 11, the World Health Organization characterized COVID-19 as a pandemic. On March 13, the President of the United States declared the COVID-19 outbreak a national emergency.

SOURCE AND SPREAD OF THE VIRUS

Coronaviruses are a large family of viruses that are common in people and many different species of animals, including camels, cattle, cats, and bats. Rarely, animal coronaviruses can infect people and then spread between people such as with MERS-CoV, SARS-CoV, and now with this new virus (named SARS-CoV-2).

The SARS-CoV-2 virus is a betacoronavirus, like MERS-CoV and SARS-CoV. All three of these viruses have their origins in bats. The sequences from U.S. patients are similar to the one that China initially posted, suggesting a likely single, recent emergence of this virus from an animal reservoir.

Early on, many of the patients at the epicenter of the outbreak in Wuhan, Hubei Province, China had some link to a large seafood and live animal market, suggesting animal-to-person spread. Later, a growing number of patients reportedly did not have exposure to animal markets, indicating person-to-person spread. Person-to-person spread was subsequently reported outside Hubei and in countries outside China, including in the United States.

SEVERITY

The complete clinical picture with regard to COVID-19 is not fully known. Reported illnesses have ranged from very mild (including some with no reported symptoms) to severe, including illness resulting in death. While information so far suggests that most COVID-19

illness is mild, out of China suggests serious illness occurs in 16% of cases. Older people and people of all ages with severe chronic medical conditions — like heart disease, lung disease and diabetes, for example — seem to be at higher risk of developing serious illness.

COVID-19 NOW A PANDEMIC

A pandemic is a global outbreak of disease. Pandemics happen when a new virus emerges to infect people and can spread between people sustainably. Because there is little to no pre-existing immunity against the new virus, it spreads worldwide.

The virus that causes COVID-19 is infecting people and spreading easily from person-to-person. Cases have been detected in most countries worldwide and community spread is being detected in a growing number of countries.

This is the first pandemic known to be caused by the emergence of a new coronavirus. In the past century, there have been four pandemics caused by the emergence of novel influenza viruses. As a result, most research and guidance around pandemics is specific to influenza, but the same premises can be applied to the current COVID-19 pandemic. Pandemics of respiratory disease follow a certain progression. Pandemics begin with an investigation phase, followed by recognition, initiation, and acceleration phases. The peak of illnesses occurs at the end of the acceleration phase, which is followed by a deceleration phase, during which there is a decrease in illnesses. Different countries can be in different phases of the pandemic at any point in time and different phases of a pandemic.

There are ongoing investigations to learn more. This is a rapidly evolving situation and information will be updated on the CDC website as it becomes available.


SITUATION IN U.S.

Different parts of the country are seeing different levels of COVID-19 activity. The United States nationally is currently in the initiation phases, but states where community spread is occurring are in the acceleration phase. The duration and severity of each phase can vary depending on the characteristics of the virus and the public health response.

RISK ASSESSMENT

Risk depends on characteristics of the virus, including how well it spreads between people; the severity of resulting illness; and the medical or other measures available to control the impact of the virus (for example, vaccines or medications that can treat the illness) and the relative success of these. In the absence of vaccine or treatment medications, nonpharmaceutical interventions become the most important response strategy. These are community interventions that can reduce the impact of disease.

The risk from COVID-19 to Americans can be broken down into risk of exposure versus risk of serious illness and death.





RISK OF EXPOSURE:

- Cases of COVID-19 and instances of community spread are being reported in a growing number of states.
- People in places where ongoing community spread of the virus that causes COVID-19 has been reported are at elevated risk of exposure, with the level of risk dependent on the location.
- Healthcare workers caring for patients with COVID-19 are at elevated risk of exposure.
- Close contacts of persons with COVID-19 also are at elevated risk of exposure.
- Travelers returning from affected international locations where community spread is occurring also are at elevated risk of exposure, with level of risk dependent on where they traveled.

RISK OF SEVERE ILLNESS:

Early information out of China, where COVID-19 first started, shows that some people are at higher risk of getting very sick from this illness. This includes:

• Older adults, with risk increasing by age.

- People who have serious chronic medical conditions like:
- Heart disease
- Diabetes
- Lung disease

CDC has developed guidance to help in the risk assessment and management of people with potential exposures to COVID-19.

WHAT MAY HAPPEN

More cases of COVID-19 are likely to be identified in the United States in the coming days, including more instances of community spread. CDC expects that widespread transmission of COVID-19 in the United States will occur. In the coming months, most of the U.S. population will be exposed to this virus.


Widespread transmission of COVID-19 could translate into large numbers of people needing medical care at the same time. Public health and healthcare systems may become overloaded, with elevated rates of hospitalizations and deaths. Other critical infrastructure, such as law

enforcement, emergency medical services, and sectors of the transportation industry may also be affected. Healthcare providers and hospitals may be overwhelmed. At this time, there is no vaccine to protect against COVID-19 and no medications approved to treat it. Nonpharmaceutical interventions will be the most important response strategy to try to delay the spread of the virus and reduce the impact of disease.

CDC RESPONSE

Global efforts at this time are focused concurrently on lessening the spread and impact of this virus. The federal government is working closely with state, local, tribal, and territorial partners, as well as public health partners, to respond to this public health threat.

Everyone can do their part to help us respond to this emerging public health threat. The following pages are guidelines and safety measures suggested by the CDC to keep you and your family safe.



HOW TO PREPARE

Here is what you can do to prepare your family in case COVID-19 spreads $\,$

in your community.

FIND LOCAL INFORMATION

Know where to find local information on COVID-19 and local trends of COVID-19 cases.

KNOW THE SIGNS & SYMPTOMS

Know the signs and symptoms of COVID-19 and what to do if symptomatic:

- Stay home when you are sick
- Call your health care provider's office in advance of a visit
- Limit movement in the community
- Limit visitors

TAKE STEPS FOR THOSE AT HIGHER RISK

Know what additional measures those at higher risk and who are vulnerable should take.

PROTECT YOURSELF & FAMILY

Implement steps to prevent illness (e.g., stay home when sick, hand-washing, respiratory etiquette, clean frequently touched surfaces daily).

CREATE A HOUSEHOLD PLAN

Create a household plan of action in case of illness in the household or disruption of daily activities due to COVID-19 in the community.

- Consider 2-week supply of prescription and over the counter medications, food and other essentials. Know how to get food delivered if possible.
- Establish ways to communicate with others (e.g., family, friends, co-workers)
- Establish plans to telework, what to do about childcare needs, how to adapt to cancellation of events.

STAY INFORMED ABOUT EMERGENCY PLANS

Know about emergency operations plans for schools/workplaces of household members.



HOW TO PROTECT YOURSELF

Older adults and people who have severe underlying chronic medical conditions like heart or lung disease or diabetes seem to be at higher risk for developing more serious complications from COVID-19 illness. Please consult with your health care provider about additional steps you may be able to take to protect yourself.

There is currently no vaccine to prevent coronavirus disease 2019 (COVID-19).

- The best way to prevent illness is to avoid being exposed to this virus.
- The virus is thought to spread mainly from person-to-person.
- Between people who are in close contact with one another (within about 6 feet).
- Through respiratory droplets produced when an infected person coughs or sneezes.

These droplets can land in the mouths or noses of people who are nearby or possibly be inhaled into the lungs

TAKE STEPS TO PROTECT YOURSELF

Clean your hands often

- Wash your hands often with soap and water for at least 20 seconds especially after you have been in a public place, or after blowing your nose, coughing, or sneezing.
- If soap and water are not readily available, use a hand sanitizer that contains at least 60% alcohol. Cover all surfaces of your hands and rub them together until they feel dry.
- Avoid touching your eyes, nose, and mouth with unwashed hands.

AVOID CLOSE CONTACT

• Avoid close contact with people who are sick

• Put distance between yourself and other people if COVID-19 is spreading in your community. This is especially important for people who are at higher risk of getting very sick.

TAKE STEPS TO PROTECT OTHERS

Stay home if you're sick

• Stay home if you are sick, except to get medical care. Learn what to do if you are sick.

Cover coughs and sneezes

- Cover your mouth and nose with a tissue when you cough or sneeze or use the inside of your elbow.
- Throw used tissues in the trash.
- Immediately wash your hands with soap and water for at least 20 seconds. If soap and water are not readily available, clean your hands with a hand sanitizer that contains at least 60% alcohol.

WEAR A FACE MASK IF YOU ARE SICK

- If you are sick: You should wear a facemask when you are around other people (e.g., sharing a room or vehicle) and before you enter a healthcare provider's office. If you are not able to wear a facemask (for example, because it causes trouble breathing), then you should do your best to cover your coughs and sneezes, and people who are caring for you should wear a facemask if they enter your room. Learn what to do if you are sick.
- If you are NOT sick: You do not need to wear a facemask unless you are caring for someone who is sick (and they are not able to wear a facemask). Facemasks may be in short supply and they should be saved for caregivers.

CLEAN AND DISINFECT

- Clean AND disinfect frequently touched surfaces daily. This includes tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, and sinks.
- If surfaces are dirty, clean them: Use detergent or soap and water prior to disinfection.







WHAT ARE THE SYMPTOMS?

CALL YOUR DOCTOR:

If you think you have been exposed to COVID-19 and develop a fever and symptoms, such as cough or difficulty breathing, call your healthcare provider for medical advice.

WATCH FOR SYMPTOMS

Reported illnesses have ranged from mild symptoms to severe illness and death for confirmed coronavirus disease 2019 (COVID-19) cases.

The following symptoms may appear 2-14 days after exposure.*

- Fever
- Cough
- Shortness of breath

*This is based on what has been seen previously as the incubation period of MERS-CoV viruses.

If you develop emergency warning signs for COVID-19 get medical attention immediately.

EMERGENCY WARNING SIGNS INCLUDE*:

- Difficulty breathing or shortness of breath
- Persistent pain or pressure in the chest
- New confusion or inability to arouse
- Bluish lips or face

*This list is not all inclusive. Please consult your medical provider for any other symptoms that are severe or concerning.



WHO IS AT HIGHER RISK?

Early information out of China, where COVID-19 first started, shows that some people are at higher risk of getting very sick from this illness. This includes:

- Older adults
- People who have serious chronic medical conditions like:
- Heart disease
- Diabetes
- Lung disease

GET READY FOR COVID-19 NOW

Take actions to reduce your risk of getting sick

If you are at higher risk for serious illness from COVID-19 because of your age or because you have a serious long-term health problem, it is extra important for you to take actions to reduce your risk of getting sick with the disease.

- Stock up on supplies.
- Take everyday precautions to keep space between yourself and others.
- When you go out in public, keep away from others who are sick, limit close contact and wash your hands often.
- Avoid crowds as much as possible.
- Avoid cruise travel and non-essential air travel.

• During a COVID-19 outbreak in your community, stay home as much as possible to further reduce your risk of being exposed.

HAVE SUPPLIES ON HAND

- Contact your healthcare provider to ask about obtaining extra necessary medications to have on hand in case there is an outbreak of COVID-19 in your community and you need to stay home for a prolonged period of time.
- If you cannot get extra medications, consider using mail-order for medications.
- Be sure you have over-the-counter medicines and medical supplies (tissues, etc.) to treat fever and other symptoms. Most people will be able to recover from COVID-19 at home.
- Have enough household items and groceries on hand so that you will be prepared to stay at home for a period of time.

TAKE EVERYDAY PRECAUTIONS

Avoid close contact with people who are sick. Take everyday preventive actions:

- Clean your hands often
- Wash your hands often with soap and water for at least 20 seconds, especially after blowing your nose, coughing, or sneezing, or

having been in a public place.

- If soap and water are not available, use a hand sanitizer that contains at least 60% alcohol.
- To the extent possible, avoid touching hightouch surfaces in public places – elevator buttons, door handles, handrails, handshaking with people, etc. Use a tissue or your sleeve to cover your hand or finger if you must touch something.
- Wash your hands after touching surfaces in public places.
- Avoid touching your face, nose, eyes, etc.
- Clean and disinfect your home to remove germs: practice routine cleaning of frequently touched surfaces (for example: tables, doorknobs, light switches, handles, desks, toilets, faucets, sinks & cell phones)
- Avoid crowds, especially in poorly ventilated spaces. Your risk of exposure to respiratory viruses like COVID-19 may increase in crowded, closed-in settings with little air circulation if there are people in the crowd who are sick.

Avoid all non-essential travel including plane trips, and especially avoid embarking on cruise ships.



As part of your everyday prevention actions clean and disinfect frequently touched surfaces and objects. For example: tables, counter tops, light switches, doorknobs, and cabinet handles.

Wear disposable gloves to clean and disinfect.

CLEAN

• Clean surfaces using soap and water. Practice routine cleaning of frequently touched surfaces.

High touch surfaces include:

Tables, doorknobs, light switches, countertops, handles, desks, phones, keyboards, toilets, faucets, sinks, etc.

DISINFECT

• Use diluted household bleach solutions if appropriate for the surface. Check to ensure the product is not past its expiration date. Unexpired household bleach will be effective against coraonviruses when properly diluted.

Follow manufacturer's instructions for application and proper ventilation. Never mix household bleach with ammonia or any other cleanser.

To make a bleach solution, mix:

• 5 tablespoons (1/3rd cup) bleach per gallon of water

OR

- 4 teaspoons bleach per quart of water
- Alcohol solutions with at least 70% alcohol.

 Household cleaners and disinfectants: Clean the area or item with soap and water or another detergent if it is dirty. Then, use a household disinfectant.

Follow the instructions on the label to ensure safe and effective use of the product.

Many products recommend:

- Keeping the surface wet for several minutes to ensure germs are killed.
- Precautions such as wearing gloves and making sure you have good ventilation during use of the product.
- Most EPA-registered household disinfectants should be effective.

SOFT SURFACES

For soft surfaces such as carpeted floor, rugs, and drapes

- Clean the surface using soap and water or with cleaners appropriate for use on these surfaces.
- Launder items (if possible) according to the manufacturer's instructions. Use the warmest appropriate water setting and dry items completely.

OR

• Disinfect with an EPA-registered household disinfectant. These disinfectants meet EPA's criteria for use against COVID-19.

LAUNDRY

For clothing, towels, linens and other items

- Wear disposable gloves.
- Wash hands with soap and water as soon as you remove the gloves.
- Do not shake dirty laundry.
- Launder items according to the manufactur-

er's instructions. Use the warmest appropriate water setting and dry items completely.

- Dirty laundry from an ill person can be washed with other people's items.
- Clean and disinfect clothes hampers according to guidance above for surfaces.

CLEAN HANDS OFTEN

- Wash your hands often with soap and water for 20 seconds.
- Always wash immediately after removing gloves and after contact with an ill person.
- Hand sanitizer: If soap and water are not readily available and hands are not visibly dirty, use a hand sanitizer that contains at least 60% alcohol. However, if hands are visibly dirty, always wash hands with soap and water.

Additional key times to clean hands include:

- After blowing one's nose, coughing, or sneezing
- After using the restroom
- Before eating or preparing food

- After contact with animals or pets
- Before and after providing routine care for another person who needs assistance (e.g. a child)
- · Avoid touching your eyes, nose, and mouth with unwashed hands.

FOOD

- Stay separated: The ill person should eat (or be fed) in their room if possible.
- Wash dishes and utensils using gloves and hot water: Handle any non-disposable used food service items with gloves and wash with hot water or in a dishwasher.
- Clean hands after handling used food service items.

TRASH

• Dedicated, lined trash can: If possible, dedicate a lined trash can for the ill person. Use gloves when removing garbage bags, and handling and disposing of trash. Wash hands afterwards.

FOR MORE INFORMATION: WWW.CDC.GOV

THE PRESIDENT'S CORONAVIRUS GUIDELINES FOR AMERICA

15 DAYS TO SLOW THE SPREAD

Listen to and follow the directions of your **STATE AND LOCAL AUTHORITIES.**

IF YOU FEEL SICK, stay home. Do not go to work. Contact your medical provider.

IF YOUR CHILDREN ARE SICK, keep them at home. Do not send them to school. Contact your medical provider.

IF SOMEONE IN YOUR HOUSEHOLD HAS TESTED POSITIVE for the coronavirus, keep the entire household at home. Do not go to work. Do not go to school. Contact your medical provider.

IF YOU ARE AN OLDER PERSON, stay home and away from other people.

IF YOU ARE A PERSON WITH A SERIOUS UNDERLYING HEALTH CONDITION that can put you at increased risk (for example, a condition that impairs your lung or heart function or weakens your immune system), stay home and away from other people.



For more information, please visit **CORONAVIRUS.GOV**